


ESP mask user guide for professionals (not including health personnel)



1. WARNING:

The ESP mask – (Respiratory droplets Stop Screen) - is neither a medical device within the descriptive context of Directive 93/42 / EEC or Regulation EU / 2017/745, nor personal protective equipment (PPE) within the descriptive context of Regulation EU / 2016 / 425.

This product has not been certified or approved by the authorities. It does not meet standards such as EN 149 + A1: 2009 and EN 14683 + AC: 2019 relating to surgical masks.

Reminder: the use of PPE (personal protective equipment) in professional environments must be controlled and implemented by the employer so that all necessary measures are taken to ensure the safety and protect the health of employees (articles L.4121-1 and L.4121-2 of the Labor Code).

The employer must ensure that the user's breathing quality is compatible with the specifics of each job function and in particular the effort exerted (R.4323-91 of the Labor Code).

2. CONDITIONS OF USE:

For use in a professional context, the ESP mask is a complementary device to PPEs and therefore should not replace them.

The ESP mask is an anti-projection device which protects people in proximity to the person wearing the ESP mask from respiratory droplets that the latter can project through speaking, coughing or sneezing.

The ESP mask also makes it possible to protect the wearer from the respiratory droplets emitted by persons in proximity.

The ESP mask can also supplement the protection provided by a surgical mask or a mask for non-medical use if worn over it.

3. GENERAL RECOMMENDATIONS:

- Each product is for individual use only: it must not be loaned to or shared with other people so as to avoid any risk of viral transmission. Each individual user must identify their ESP mask (by marking it with permanent marker, for example).
- Before using this product, wash your hands with soap and water or a hydro-alcoholic solution and clean the ESP mask in accordance with the indications mentioned in §6.2.
- Do not over tighten the fasteners so as not to press the ESP mask on the mouth and risk blocking the respiratory tract.
- Check that there is no air flow in the eyes when exhaling strongly.
- Moderate tightening will allow the ESP mask to not slip or fall. Finding the correct tightness with the fastening clips will avoid the appearance of perspiration or fogging, and you can wear the ESP mask with maximum comfort.
- Avoid twisting the fasteners so that their edges cannot injure or hinder you.



4. INSTRUCTIONS FOR USE/FITTING INSTRUCTIONS:

4.1 Identifying and Facilitating wear

- The upper part of the ESP mask is identified by the entry at the top right "ESP (Respiratory droplets Stop Screen) - Patent filed" (see Fig. 1).
- To improve the form of the ESP mask on the cheeks, create a fold at the nose (upper central part) by pinching the product between 2 fingers over a height of about 2 cm (see folding mark shown in Figure 2).
- To further improve the form of the ESP mask on the nose and cheeks, it is advisable to use scissors to cut (or to detach) the upper part of the ESP mask, as shown in Figure 2.



Fig. 1




Fig. 2

The following paragraphs (4.2, 4.3.1, 4.3.2 and 4.3.3) show four possible ESP mask wear configurations. Depending on the dimensions and morphology of your face, choose the method of fixation which is most comfortable for you. We strongly recommend 4.2 or 4.3.2.

4.2 Wearing with 2 fasteners:

Detach the first 2 fasteners one after the other (n° 1, then n° 2), by pulling firmly on them according to the pre-cuts (see Fig. 3)




Fig. 3

- Place the ESP mask in front of your face, the upper part covering your nose with the words "ESP (Ecran Stop Postillons) - Patent pending" situated on the top right of the mask.
- Adjust the mask as well as possible around your face.
- Pass the two fasteners above the ears and tie them on the back of the head




Fig. 4

4.3 Wearing with 4 fasteners

4.3.1 Fastening behind the head (nape/neck)

- Detach the 4 fasteners one after the other, in pre-cut order (n° 1, then n° 2, n° 3 and n° 4), by pulling firmly on them along the pre-cuts, retrieving 2 fasteners from the top and 2 from the bottom.




Fig. 5

- b. Place the ESP mask in front of your face, the upper part covering your nose and the words "ESP (Ecran Stop Postillons) – Patent pending" are at the top right.
- c. Adjust the mask as well as possible around your face.
- d. Pass the two top fasteners (n ° 1 and n ° 2) over the ears and tie them on the back of the head (see Fig. 4)
- e. Pass the two bottom fasteners around the back of the neck and tie them slightly on the right side (note: the bottom right fastener is shorter than the bottom left).



Fig. 6



Fig. 7

4.3.2 Tying bottom fasteners under the chin:

- a. Follow instructions a., b., c. and d. from paragraph 4.3.1
- b. Tie the two bottom fasteners (n ° 3 and n ° 4) together in the front under the chin, so as to tighten the ESP mask closer around both cheeks.



Fig. 8



4.3.3 Fastening around ears

- a. Follow instructions a., b., c. and d. from paragraph 4.3.1
- b. Faire passer les attaches supérieures chacune derrière une oreille
- c. Tie each lower fastener with the upper fastener on the same side, placing the knot approximately between the bottom of the ear and closest to the PSE mask (See Fig. 9).




Fig. 9

- d. Caution: avoid placing the knot on ear lobes to reduce the risk of discomfort or unpleasant friction. Tie below the ear as shown in Fig. 9.

4.4. POSSIBLE SIZE ADJUSTMENT

If ESP mask is too wide, it is possible to cut it down according to the diagram below, in order to adapt it and adjust it as well as possible to your face.




Fig. 10

In this case, should the mask be cut down, only the configuration of wearing with two fasteners is possible (see §4.2 et Fig. 4).

5. HANDLING RECOMMANDATIONS:

- Before handling this product, wash your hands with soap and water or rub your hands for at least 20 seconds with a hydro-alcoholic solution and clean the ESP mask in accordance with the indications mentioned in §6.2.
- During use of ESP mask :
 - Avoid touching
 - Avoid moving the mask.

- Whenever a used ESP mask is touched directly with hands, wash hands with soap and water or rub them with an alcohol-based solution.

Removal instructions for ESP mask :

- **The front part of the ESP must not be touched with fingers / hands**
- For the classic wear with 2 fasteners, take the fasteners from behind the head and slide them forward without untying them.
- For the classic wear with 4 fasteners, detach the lower fasteners and slide the upper fasteners towards the front of the head without untying them.
- For wear around ears, grab the fasteners at ear level and remove the ESP mask.
- To permanently dispose of the ESP mask, throw it in a closed trash bin intended for plastic waste.
- Then wash your hands with soap and water or with an alcoholic solution.
- To wash the ESP mask, see paragraph 6.2.

6 SPECIAL INSTRUCTIONS :

6.1 Duration of wear/time limitation

It is recommended to wear the ESP mask for a maximum period of 4 hours continuously.



6.2 Washing :

- The ESP mask is washable and it is advisable to wash it regularly, especially after wearing for a period of 4 hours maximum.
- The ESP mask can be washed up to 30 times without altering its anti-droplet efficacy. Wash the ESP mask at the same time as the hands, with lukewarm water and soap, making sure to rub all the parts of the mask for at least 30 seconds, especially on the protective part of the face.
- It is also possible to clean the ESP mask under the same time conditions as specified above with:
 - o a clean cloth or sponge soaked in a disinfectant such as bleach diluted to 20%,
 - o hydroalcoholic gel.
- NEVER USE PURE OR RAW PRODUCTS; DO NOT USE A CORROSIVES, ACID OR STRONG BASED SOLUTIONS (SODIUM HYDROXIDE) ON THE PRODUCT.
- DO NOT USE WASHING MACHINE TO CLEAN.
- DO NOT USE CLOTHESDRYER TO DRY.



- After washing, the ESP mask should be dried manually with a clean cloth or disposable towel. Inspect the ESP mask at this time to make sure it is not damaged (cut, perforated, scratched, nicked or damaged on the surface in particular). Otherwise, discard and replace it.

6.3 Storage conditions et expiration time :

- The ESP mask can be stored between 5 and 45 ° C, if possible flat and in an closed space, protected from light.
- Disinfected and cleaned ESP masks should be stored if possible in a re-sealable case or bag specific to this use to avoid eventual uncontrolled pollutions.
- Subject to having been stored in accordance with the abovementioned storage conditions, the ESP mask can be used within 3 years from the date of purchase. Beyond 3 years, it is advisable to check its appearance, its flexibility and correct working order of the fasteners. In the event that at least one of these conditions is not fulfilled, it is recommended to throw it in a closed bin intended for plastic waste.

7. CAUTION/WARNING :

The ESP mask – (Respiratory droplets Stop Screen) - is neither a medical device within the descriptive context of Directive 93/42 / EEC or Regulation EU / 2017/745, nor personal protective equipment (PPE) within the descriptive context of Regulation EU / 2016 / 425.

This product has not been certified or approved by the authorities. It does not meet standards such as EN 149 + A1: 2009 and EN 14683 + AC: 2019 relating to surgical masks.

Information for professionals :

This product does replace personal protective equipment (PPE) required by companies. It can be used as an additional over-protection if necessary. It does not in any case replace approved medical devices, such as masks, visors or face shields.

Reminder: the use of PPE (personal protective equipment) in professional environments must be controlled and implemented by the employer so that all necessary measures are taken to ensure the safety and protect the health of employees (articles L.4121-1 and L.4121-2 of the Labor Code).

The employer must ensure that the user's breathing quality is compatible with the specifics of each job function and in particular the effort exerted (R.4323-91 of the Labor Code).

All the components, including the adjuvants used in the manufacture of this product are certified by our suppliers and comply with the TOY EN71-3 (JOUET EN71-3) standard.

The VOC (Volatile Organic Compounds) rate is less than 0.3%.

The polymer (phthalate-free PVC) used for this product contains only substances authorized by European regulation EU 10/2011 relating to food contact.

The plasticizer present in the PVC used for this product is certified for food packaging: it is listed in Annex 1, Table 1 of EU Regulation 10/2011 relating to articles and plastic materials which can be brought into contact with food.

This product does not contain substances listed as "SVHC" substances which are candidates for very high concern, within the descriptive of "REACH", according to REACH regulation 1907/2006.

8. WARNINGS AND PRECAUTIONS TO BE TAKEN / ADVERSE REACTIONS:

- In the event of sustaining a cut from one of the edges of this product, disinfect and consult a doctor.
- In the event of an annoying sensation of heat in the face, or in the event of an annoying presence of sweat on the inside of the ESP, it is advisable to remove the product.

Types of users at risk :

Wearing an ESP mask may cause respiratory discomfort, especially in a confined and hot environment. People suffering from certain pathologies (cardiovascular, asthma, ...), may have tolerance difficulties. In case of doubt or on the initiative of at-risk users, it is advisable to contact an occupational physician or 20200729 UserGuide- Professionals

doctor. A medical professional may rule on any contraindications/counter-indications of wearing of an ESP mask in respect to the user's state of health and the constraints related to the tasks he performs.

Skin contact :

There is no specific risk. However, for certain people sensitive or allergic to PVC or to one of its constituents, a skin reaction may appear through direct contact of the material with the skin. If redness or prolonged itching develops, remove the ESP mask and seek medical advice.

Ingestion :

It is advisable not to ingest this product, or even to chew or suckle it. This product is not designed for food use. If any fragment of the product is swallowed, seek medical advice.

Odors :

Despite a formulation specifically created for this product, it is possible that certain users may perceive a particular odor during wear: this odor is normal and characteristic of PVC.

However, if the odor is too annoying, release the lower fasteners if wearing 4 fasteners and / or loosen the upper fasteners slightly.

If discomfort persists or if you develop a headache while wearing the ESP mask, remove it and breathe in fresh air. Seek medical advice.

Instructions in case of fire :

PVC gives off hydrochloric acid vapors when it burns, among other things. In case of fire :

- enforce protection measures by
 - o evacuating personnel
 - o wearing appropriate respiratory masks for all personnel
- use one of the following class A extinguishing agents::
 - o Water mist
 - o Water mist with additives (foam concentrate)
 - o Foam
 - o Inert gas
 - o Multipurpose powder

Keep this product out of reach of children.

9. NOTICE OF INTENT :

The information contained in this sheet is based on the current state of our knowledge relating to the article concerned, on the date indicated. It are given in good faith. The caution of users is also drawn to the risks that may incur should the article be used for other purposes than those for which it is intended.

It does not in any way exempt the user from knowing and applying all the regulations required for his/her activity. The user is solely responsible for the precautions related to the use of this article.

The recipient must ensure that other obligations are not required because of the specificity of the user's activity in particular.

10. RECOMMENDATION :

For the largest possible visible exposure to all employees likely to wear the ESP mask in any company, it is recommended to post the user guide in a visible place and / or to provide a photocopy to each user.